

# Organization, Structure, and How To Contribute

Don Armstrong

Debian Developer

April 5th, 2012



**debian**



## 1 Debian Project History

- Beginnings
- Release History
- Growth

## 2 Organization of Debian

- Principles
- Debian Social Contract
- Constitution
- Debian: A Do-ocracy
- DPL/CTTE
- Teams
- Users
- Derivative Distributions

## 3 Technical Structure

- Policy
- Packaging
  - Source Package
  - Binary Package
- FTP Archive
- Buildd
- Release Process
- Maintaining Quality

## 4 Contributing To Debian

- Testing and Submitting Bugs
- Fixing Bugs
- Documentation
- Translation
- Additional Resources

# History

*Fellow Linuxers,*

*This is just to announce the imminent completion of a brand-new Linux release, which I'm calling the **Debian Linux Release**. [...]*

*Ian A Murdock, 16/08/1993  
comp.os.linux.development<sup>1</sup>*



- Easy to install
- “In the spirit of GNU”
- Built collaboratively

---


<sup>1</sup><http://groups.google.com/group/comp.os.linux.development/msg/a32d4e2ef3bcdcc6?pli=1>

# Release History


- 1 Buzz(1.1; 1996-03-14)
- 2 Rex(1.2; 1996-10-28)
- 3 Bo(1.3; 1997-05-01)
- 4 Hamm(2.0; 1998-07-24)
- 5 Slink(2.1; 1999-03-09)
- 6 Potato(2.2; 2000-08-15)
- 7 Woody(3.0; 2002-07-19)
- 8 Sarge(3.1; 2005-06-06)
- 9 Etch(4.0; 2007-04-08)
- 10 Lenny(5.0; 2009-02-14)
- 11 Squeeze(6.0; 2011-02-06)
- 12 Wheezy (??; 201?-??-??)



# Growth Of Debian: Source Packages



# Growth Of Debian: Maintainers



# Principles

## Common Goal:

Create the best, Free operating system

- Debian Social Contract
- Debian Constitution




# Debian Social Contract

- 1 100% Free (DFSG)
- 2 Give back to Free Software community
- 3 We will not hide problems
- 4 Users and Free Software are priority
- 5 Allow for non-Free software usage

[http://www.debian.org/social\\_contract](http://www.debian.org/social_contract)



# Constitution



- Developers
- Secretary
- Debian Project Leader
- Technical Committee
- Voting System (Schulze Method)

<http://www.debian.org/devel/constitution>


# Maintainers

- Responsible for a package individually or as part of a team
- Packaging for Debian
- Bug Fixing, Triaging, Reporting
- Documentation




# Developers

- Upload Packages
- Log into Debian machines
- Primarily responsible for Debian
- Vote



# Where are Debian Developers?



# Debian Project Leader



- Surprisingly Powerless
- Represents Debian
- Make decisions for areas where no one else has responsibility
- Delegate decisions

# Technical Committee

- 8 Developers
- Mediation
- Dispute Resolution
- Decision body of last resort



# Teams in Debian

- FTP Master ([ftpmaster@debian.org](mailto:ftpmaster@debian.org))
- Release Team ([debian-release@lists.debian.org](mailto:debian-release@lists.debian.org))
- Security Team ([security@debian.org](mailto:security@debian.org))
- Debian System Administrators ([admin@debian.org](mailto:admin@debian.org))
- Bug Tracking System Team ([owner@bugs.debian.org](mailto:owner@bugs.debian.org))
- Quality Assurance Team (<http://qa.debian.org>)
- Package Maintenance Teams


# Users

- Test Debian
- Report Bugs
- Contribute Patches
- Become Developers and Maintainers
- Contribute Resources



# Debian Derivatives

- Ubuntu
- Knoppix
- LMDE
- aptosid
- And more than 120 others
- <http://wiki.debian.org/Derivatives/Census>



# Debian Policy

- Describes package structure
- Describes how packages **must** and **should** act
- Describes how other parts of the system will respond
- Constantly evolving
- <http://www.debian.org/doc/debian-policy/> or  
[/usr/share/doc/debian-policy/policy.txt.gz](http://usr/share/doc/debian-policy/policy.txt.gz)

# Overall Structure

## When Unpacked

- **debian** directory
- upstream code

## When Packed

- Description file  
.dsc
- Upstream code  
(.orig.tar.gz, etc.)
- Debian patches  
(.debian.tar.gz,  
diff.gz, etc.)
- dpkg-source  
packs source

## Description File

```
-----BEGIN PGP SIGNED MESSAGE-----  
Hash: SHA512
```

```
Format: 3.0 (quilt)  
Source: libstatistics-r-perl  
Binary: libstatistics-r-perl  
Architecture: all  
Version: 0.24-1  
Maintainer: Don Armstrong <don@debian.org>  
Homepage: http://search.cpan.org/dist/Statistics-R/  
Standards-Version: 3.9.2  
[...]  
Vcs-Svn: svn://svn.donarmstrong.com/deb_pkgs/libstatistics-r-perl/trunk  
Build-Depends: debhelper (>= 8)  
Build-Depends-Indep: perl, r-base, libipc-run-perl,  
libregexp-common-perl  
Package-List:  
libstatistics-r-perl deb perl optional  
[...]  
Checksums-Sha256:  
2605[...]11877560 29901 libstatistics-r-perl_0.24.orig.tar.gz  
8474[...]8708432a 2154 libstatistics-r-perl_0.24-1.debian.tar.gz  
  
-----BEGIN PGP SIGNATURE-----  
[...]  
-----END PGP SIGNATURE-----
```

```
apt-get source libstatistics-r-perl
```

# Control File

## debian/control

```
Source: libstatistics-r-perl
Section: perl
Priority: optional
Maintainer: Don Armstrong <don@debian.org>
Build-Depends: debhelper (>= 8)
Build-Depends-Indep: perl, r-base, libipc-run-perl,
  libregexp-common-perl, libmodule-install-perl (>= 1.04)
Standards-Version: 3.9.2
Homepage: http://search.cpan.org/dist/Statistics-R/
Vcs-Svn: svn://svn.donarmstrong.com/deb_pkgs/libstatistics-r-perl/trunk
Vcs-Browser: http://websvn.donarmstrong.com/deb_pkgs/libstatistics-r-perl/trunk
```

```
Package: libstatistics-r-perl
Architecture: all
Depends: ${misc:Depends}, ${perl:Depends}, r-base, libipc-run-perl, libregexp-common-perl
Description: Control the R interpreter with perl
```

```
Statistics::R is a module to controls the R interpreter (R project
for statistical computing: http://www.r-project.org/). It lets you
start R, pass commands to it and retrieve the output. A shared mode
allow to have several instances of Statistics::R talk to the same R
process.
```

```
.
The current Statistics::R implementation uses pipes (for stdin,
stdout and stderr) to communicate with R. This implementation should
be more efficient and reliable than that in previous version, which
relied on reading and writing files.
```

# Changelog

## debian/changelog

libstatistics-r-perl (0.24-1) unstable; urgency=low

- \* New upstream release

-- Don Armstrong <don@debian.org> Mon, 21 Nov 2011 16:57:20 -0800

libstatistics-r-perl (0.23-2) unstable; urgency=low

- \* Update debian/copyright to reflect that that inc/\* files are part of Module::Install.
- \* Remove B-D-I: on quilt as it isn't necessary when using quilt (3.0)

-- Don Armstrong <don@debian.org> Mon, 14 Nov 2011 10:56:52 -0800

libstatistics-r-perl (0.23-1) unstable; urgency=low

- \* Initial Release (closes: #647568)

-- Don Armstrong <don@debian.org> Fri, 11 Nov 2011 20:15:06 -0800

[http://packages.debian.org/changelogs/pool/main/libs/libstatistics-r-perl/libstatistics-r-perl\\_0.24-1/changelog](http://packages.debian.org/changelogs/pool/main/libs/libstatistics-r-perl/libstatistics-r-perl_0.24-1/changelog)

# Rules File

```
debian/rules
```

```
#!/usr/bin/make -f
```

```
%:
```

```
dh $@
```

Or for a slightly less trivial example: [http://svn.donarmstrong.com/deb\\_pkgs/scowl/trunk/debian/rules](http://svn.donarmstrong.com/deb_pkgs/scowl/trunk/debian/rules)  
(scowl builds wamerican and other english word lists.)

# Binary Package: deb

- Actual work done by dpkg-buildpackage
- Calls debian/rules binary
- Generates changes, debian packages
- Physically an ar archive with three members; see deb(5) for more details
  - ▶ debian-binary
  - ▶ control.tar.gz
  - ▶ data.tar (optionally compressed)

# Utilities

- debhelper
- uscan (debian/watch)
- git-buildpackage, svn-buildpackage, dpkg-buildpackage
- cowbuilder

# Uploading Packages

- Upload source package and binary
- Signed with DD (or DM) GPG Key
- Using debsign and dput
- Suite Target
- Delay Queue



# Security and Backend Software


- Every Source/Binary Package SHA256/SHA1/MD5 Summed
- Hashes GPG Signed
- Checked by DAK
  - ▶ Postgresql Database
  - ▶ Python and Shell scripts
- Builds Archive Files
  - ▶ Source
  - ▶ Packages
  - ▶ Contents
- Mirror scripts



# Release Goals


- A set of goals which will be met to release
- <http://release.debian.org/wheezy/goals.txt>
- Current Goals
  - ▶ Multiarch
  - ▶ kFreeBSD
  - ▶ Package Quality
  - ▶ Large File Support
- Candidates
  - ▶ DNSSec
  - ▶ selinux EAL-4

# Testing Propagation



# When Does Debian Release

## Only When Ready



# Maintaining Packaging Quality



POLICY IS YOUR FRIEND. TRUST THE POLICY. LOVE THE POLICY. OBEY THE POLICY.

General information	sid statistics
Debian sid / main: package installation, removal and purge test.	
About + News	Binary packages per state
Overview	successfully-tested
FAQ	<ul style="list-style-type: none"><li>but logfile contains update-rc.d issues: 70 passed</li><li>but logfile contains 'command not found': 287 passed</li><li>but logfile contains forgotten alternatives: 1 passed</li><li>but logfile contains owned files existing after purge: 8 passed</li><li>but logfile contains unowned files after purge: 469 passed</li><li>but logfile contains maintainer script failures: 5 passed</li><li>but logfile contains 'broken symlinks': 11581 passed</li></ul>
Bugs / ToDo	
Documentation	failed-testing
piuparts README	<ul style="list-style-type: none"><li>due to unsatisfied dependencies: 12 bugged</li><li>due to a 'command not found' error: 19 bugged, 14 failed</li><li>due to files in /usr/local: 1 bugged, 8 failed</li><li>due to forgotten alternatives after purge: 4 bugged, 10 failed</li><li>due to owned files by many packages: 6 bugged, 77 failed</li><li>due to owned files existing after purge: 20 bugged, 116 failed</li><li>due to unowned files after purge: 48 bugged, 163 failed</li><li>due to files having been modified after purge: 1 failed</li><li>due to leaving processes running behind: 2 bugged</li><li>due to failing to setup a database: 1 bugged</li><li>due to a problem with insserv: 2 bugged</li><li>due to post-installation maintainer script failed: 13 bugged, 43 failed</li><li>due to post-removal maintainer script failed: 21 bugged</li><li>due to purge failed due to an unknown reason: 20 bugged</li><li>due to errors from cronjob after removal: 2 bugged</li><li>...and logfile also contains 'broken symlinks': 28 bugged, 109 failed</li></ul>
piuparts manpage	
piuparts.d.o configuration: piuparts.conf/piattl scripts	
How to file bugs	
Debian policy	
Available reports	
Bugs filed	
sid	
testing2sid	
wheezy	
squeeze2wheezy	
squeeze	
lenny2squeeze	
by maintainer / uploader	

- Full Archive Rebuilds
- lintian
- piuparts
- Automatically testing packages (In progress; autopkgtest)
- Users Filing Bugs

# How to submit bugs

- Run reportbug
- Mail to [submit@bugs.debian.org](mailto:submit@bugs.debian.org)
- Version and debugging information
- Check for existing bugs first

Message #5 received at [submit@bugs.debian.org](mailto:submit@bugs.debian.org) (full text, mbox):

From: "Bao Haojun" <[baohaojun@gmail.com](mailto:baohaojun@gmail.com)>  
To: Debian Bug Tracking System <[submit@bugs.debian.org](mailto:submit@bugs.debian.org)>  
Subject: devscripts: FilesToPackages return nil for dpkg output pattern changed  
Date: Thu, 05 Apr 2012 10:11:54 +0800

Package: devscripts  
Version: 2.11.6  
Severity: important

Dear Maintainer,

When I run `dpkg-depcheck` on `beagrep` (<https://github.com/baohaojun/beagrep>) compilation:

```
dpkg-depcheck -b bash -c 'autoreconf -i; ./configure; make -j8'
```

It reports that none of the files used are found in any packages. After a little debugging, I found the `/usr/share/devscripts/Devscripts/Packages.pa` need to be updated because "dpkg -S" output pattern has been updated:

```
elseif (/^dpkg: \Q$curfile\E not found\.$/) {  
    $curfile = shift;  
}
```

should be updated to:

```
elseif (/^dpkg: \Q$curfile\E not found\.$/) {  
    $curfile = shift;  
} elseif (/^dpkg-query: no path found matching pattern \Q$curfile\E\.$/) {  
    $curfile = shift;  
}
```

-- Package-specific info:

# Finding Bugs To Fix

- UDD:  
<http://udd.debian.org/bugs.cgi>
- <http://bugs.debian.org/release-critical>
- Bug Tracking System

bug#	package	
<a href="#">#147832</a>	<a href="#">xchat</a>	xchat: loses server list if disk fills up
<a href="#">#197254</a>	<a href="#">isdnutils-base</a>	isdnutils-base: /etc/isdn/isdn.conf ove
<a href="#">#314555</a>	<a href="#">dvd+rw-tools</a>	dvd+rw-tools: growisofs falls on large
<a href="#">#331116</a>	<a href="#">isdnlog</a>	isdnlog: fails to purge
<a href="#">#332227</a>	<a href="#">parted</a>	yaboot-installer: install fail on open po
<a href="#">#340479</a>	<a href="#">libgdbm3</a>	noffle: problems with largefile limit
<a href="#">#345055</a>	<a href="#">lua50</a>	lua50 can't read large files
<a href="#">#350619</a>	<a href="#">libneon27-dev</a>	libneon24-dev: should be built with -D
<a href="#">#476946</a>	<a href="#">dbconfig-common</a>	dbconfig-common does not honor pr
<a href="#">#478544</a>	<a href="#">icedove</a>	[icedove] "Size" in folder listing disapp
<a href="#">#478545</a>	<a href="#">alpine</a>	[alpine] alpine does not support large
<a href="#">#478549</a>	<a href="#">ipopd</a>	[ipopd] Ipopd does not support mailb
<a href="#">#483217</a>	<a href="#">texlive-latex-base</a>	texlive-latex-base: Files by Donald Ars
<a href="#">#493956</a>	<a href="#">w3m</a>	w3m can't download files larger than :
<a href="#">#538822</a>	<a href="#">dash</a>	dash fails to upgrade if /bin/sh is local
<a href="#">#540512</a>	<a href="#">dash</a>	dash upgrade breaks mksh-as-/bin/sh
<a href="#">#555168</a>	<a href="#">locales</a>	Many locales files do not permit modif
<a href="#">#558784</a>	<a href="#">apt</a>	apt: re-adds removed keys
<a href="#">#570516</a>	<a href="#">mdadm</a>	mdadm: UUID changed upon upgrade
<a href="#">#571634</a>	<a href="#">xen-utils-common</a>	xen-utils-common vif-common.sh still
<a href="#">#579522</a>	<a href="#">tasksel</a>	tasksel - Removes packages without c
<a href="#">#583867</a>	<a href="#">finger</a>	[finger] cannot handle inbox larger th
<a href="#">#587650</a>	<a href="#">git-svn</a>	git svn: copes poorly with .git/svn dir
<a href="#">#590147</a>	<a href="#">akregator</a>	akregator crashes at start
<a href="#">#590884</a>	<a href="#">grub-pc</a>	grub-pc: upgrading with vmlinuz-2.6.:
<a href="#">#591199</a>	<a href="#">src:yui</a>	yui: does not build swf files from sour
<a href="#">#591969</a>	<a href="#">src:typo3-src</a>	typo3-src: does not build .swf files fr
<a href="#">#593139</a>	<a href="#">src:ruby1.9.1</a>	ruby1.9.1: FTBFS on kfreebsd: test su
<a href="#">#593141</a>	<a href="#">src:ruby1.9.1</a>	ruby1.9.1: FTBFS on ia64: test suite s
<a href="#">#594447</a>	<a href="#">libgpg-error</a>	Proposed: RM for gnuage-1.1: libgpg

# Fixing #661628

- #661628: libnss-ldap: fails to configure: tries to run /etc/init.d/nscd but /etc/init.d/unsacd is the one that actually exists
- Get source `apt-get source libnss-ldap`

## Allow for unsacd

```
--- libnss-ldap-264/debian/libnss-ldap.postinst
+++ libnss-ldap-264/debian/libnss-ldap.postinst

if [ -s /usr/sbin/nscd ]; then
    if [ `pidof -s nscd` ]; then
+       # allow for unsacd as well
+       for nsacd in unsacd nscd; do
+           if [ -x /etc/init.d/$nsacd ]; then
-               if which invoke-rc.d >/dev/null 2>&1; then
+                   invoke-rc.d nsacd restart
+                   invoke-rc.d $nsacd restart
-               else
+                   /etc/init.d/nsacd restart
+                   /etc/init.d/$nsacd restart
+               fi
+               break;
+           fi;
+       fi
fi
```

# Fixing #661628

- #661628: libnss-ldap: fails to configure: tries to run /etc/init.d/nscd but /etc/init.d/unsacd is the one that actually exists
- Get source apt-get source libnss-ldap

## Allow for unsacd

```
--- libnss-ldap-264/debian/libnss-ldap.postinst
+++ libnss-ldap-264/debian/libnss-ldap.postinst

if [ -s /usr/sbin/nscd ]; then
    if [ `pidof -s nscd` ]; then
+       # allow for unsacd as well
+       for nscd in unsacd nscd; do
+           if [ -x /etc/init.d/$nscd ]; then
-               if which invoke-rc.d >/dev/null 2>&1; then
+                   invoke-rc.d nscd restart
+                   invoke-rc.d $nscd restart
-               else
+                   /etc/init.d/nscd restart
+                   /etc/init.d/$nscd restart
+               fi
+               break;
+           fi;
+       fi
fi
```

## Fixing #661628 Cont.

- Document fix with `dch -i --nmu`
- Build source package with `dpkg-source -i -b`
- Test fix
  - ▶ Build package
  - ▶ Install unscd, install package
- Send patch to BTS
- If you are a DD, consider NMUing

Mail to [661628@bugs.debian.org](mailto:661628@bugs.debian.org)  
and [control@bugs.debian.org](mailto:control@bugs.debian.org)

```
tag 661628 patch  
thanks
```

Attached, please find a patch which checks for `/etc/init.d/unscd` and uses the first init script it finds. [It may actually be better for the postinst to call `nscd --invalidate passwd --invalidate group --invalidate hosts` instead.]

## Fixing #661628 Cont.

- Document fix with `dch -i --nmu`
- Build source package with `dpkg-source -i -b`
- Test fix
  - ▶ Build package
  - ▶ Install `unscd`, install package
- Send patch to BTS
- If you are a DD, consider NMUing

Mail to [661628@bugs.debian.org](mailto:661628@bugs.debian.org)  
and [control@bugs.debian.org](mailto:control@bugs.debian.org)

tag 661628 patch  
thanks


Attached, please find a patch which checks for `/etc/init.d/unscd` and uses the first init script it finds. [It may actually be better for the postinst to call `nscd --invalidate passwd --invalidate group --invalidate hosts` instead.]


# Documentation

- Website ([debian-www@lists.debian.org](mailto:debian-www@lists.debian.org))
- Debian Project News ([debian-publicity@lists.debian.org](mailto:debian-publicity@lists.debian.org))
- Manpages
- Wiki <http://wiki.debian.org>

# Translation

- Packages (primarily upstream)
- Descriptions  
<http://www.debian.org/international/l10n/ddtp>
- Website  
<http://www.debian.org>
- Installer <http://d-i.debian.org/l10n-stats/>





- Mailing Lists

- ▶ `debian-user@lists.debian.org`

- IRC

- ▶ `#debian` on `irc.debian.org` (OFTC) and `irc.freenode.net`

- Books

- ▶ *The Debian System* by Martin Krafft; *Debian Bible*

- LUGs

- ▶ Southern California Debian `scd.debian.org`

- Debian Consultants

- ▶ `http://debian.org/consultants`

- Debian Developers



- Mailing Lists

- ▶ `debian-user@lists.debian.org`

- IRC

- ▶ `#debian` on `irc.debian.org` (OFTC) and `irc.freenode.net`

- Books

- ▶ *The Debian System* by Martin Krafft; *Debian Bible*


- LUGs

- ▶ Southern California Debian `scd.debian.org`

- Debian Consultants

- ▶ `http://debian.org/consultants`

- Debian Developers



- Mailing Lists

- ▶ `debian-user@lists.debian.org`

- IRC

- ▶ `#debian` on `irc.debian.org` (OFTC) and `irc.freenode.net`

- Books

- ▶ *The Debian System* by Martin Krafft; *Debian Bible*


- LUGs

- ▶ Southern California Debian `scd.debian.org`

- Debian Consultants

- ▶ `http://debian.org/consultants`

- Debian Developers



- Mailing Lists

- ▶ `debian-user@lists.debian.org`

- IRC

- ▶ `#debian` on `irc.debian.org` (OFTC) and `irc.freenode.net`

- Books

- ▶ *The Debian System* by Martin Krafft; *Debian Bible*

- LUGs

- ▶ Southern California Debian `scd.debian.org`

- Debian Consultants

- ▶ `http://debian.org/consultants`

- Debian Developers

- Mailing Lists
  - ▶ `debian-user@lists.debian.org`
- IRC
  - ▶ `#debian` on `irc.debian.org` (OFTC) and `irc.freenode.net`
- Books
  - ▶ *The Debian System* by Martin Krafft; *Debian Bible*
- LUGs
  - ▶ Southern California Debian `scd.debian.org`
- Debian Consultants
  - ▶ <http://debian.org/consultants>
- Debian Developers

- Mailing Lists
  - ▶ `debian-user@lists.debian.org`
- IRC
  - ▶ `#debian` on `irc.debian.org` (OFTC) and `irc.freenode.net`
- Books
  - ▶ *The Debian System* by Martin Krafft; *Debian Bible*
- LUGs
  - ▶ Southern California Debian `scd.debian.org`
- Debian Consultants
  - ▶ <http://debian.org/consultants>
- Debian Developers

# Questions

